

REPLACED BY
ART 34 ANDT

CLAIMS

1. A system in a water-craft or a section thereof or in another structure or a section thereof (1) for providing furnishings at least partially, which system
5 comprises a number of prefabricated room units (2a, 2b, 2c, 2d...) and a water-craft or a section thereof or another structure or a section thereof (1), characterised in that one or several room units (2a, 2b, 2c, 2d...) are arranged to be inserted in the water-craft or a section thereof or other structure or a section thereof (1), and that the system comprises room units (2a, 2b,
10 2c, 2d...), an exterior side portion (9) of which forms a part of the outboard (3) of the water-craft or a section thereof or other structure or a section thereof (1) and/or an interior side portion (10) forms a part of the open inner section (12) of the water-craft or a section thereof or other structure or a section thereof.
- 15 2. A system according to claim 1, characterised in that the room unit (2a, 2b, 2c, 2d...) is composed of one or several cabins, rooms or similar units.
- 20 3. A system according to any one of the preceding claims, characterised in that the exterior side portion (9) and/or the interior side portion (10) consists of a window (9a) and/or a wall (9b) and/or a balcony (9c).
- 25 4. A system according to claim 1 or 2, characterised in that the board (3a, 3b) of the water-craft or a section thereof or other structure or a section thereof (1) is substantially open and the overlying decks (11) are supported by a supporting structure/structures (14), which is/are at least at the installation stage of the room units located between every second room unit or spaced by a distance longer than this.
- 30 5. A system according to any one of the preceding claims, characterised in that the side portion (9a, 9b) on the water-craft or a section thereof or other

RECEIVED
ATT 34 14-07

structure or a section thereof (1) is installed after the room unit/units (2a, 2b, 2c, 2d...) has/have been moved into the water-craft or other structure (1).

5 6. A system according to any one of the preceding claims, characterised in that the width of an opening (4) arranged in the board (3a, 3b) is smaller than the total width of two or several room units (2a, 2b, 2c, 2d...), when the room units (2a, 2b, 2c, 2d...) are being taken into the water-craft or into other structure (1).

10 7. A system according to any one of the preceding claims, characterised in that the sealing of the room unit/units (2a, 2b, 2c, 2d...) is at least partially carried out by connecting the exterior side portion (9) or the interior side portion (10) directly to another exterior side portion (9) or interior side portion (10) by means of separate cover strips (15) or another sealing arrangement
15 without, or in addition to the side portion (9, 10) being sealed to the hull (5) of the water-craft or a section thereof or other structure or a section thereof (1).

20 8. A system according to any one of the preceding claims, characterised in that the side portion (9a, 9b) includes a floor and/or a ceiling portion (17) to be installed separately, which section/sections is/are attached to the hull (5) of the water-craft or a section thereof or other structure or a section thereof (1).

25 9. A method for providing furnishings at least partially in a system according to any one of the preceding claims, which system comprises a water-craft or a section thereof or another structure or a section thereof (1) and at least one prefabricated room unit (2a), characterised in that at least one room unit (2a) is inserted into the water-craft or a section thereof or other structure or
30 a section thereof (1) and moved aboard the water-craft or a section thereof or other structure or a section thereof into its predetermined position (8a).

REPLACED BY
ART 34 AND 35

15

10. A method according to claim 9, characterised in that next room units (2b, 2c, 2d...) are inserted one or several units at the time through an opening (4) arranged in the board (3a, 3b) of the water-craft or a section thereof or other structure or a section thereof (1) or through the end (3c) thereof, which room units are moved to their predetermined positions (8b, 8c, 8d...).

11. A method according to claim 9 or 10, characterised in that after the room unit/units (2a, 2b, 2c, 2d...) has/have reached its/their final position/-s (8a, 8b, 8c, 8d...) the exterior side portion (9) is disposed and/or attached and/or sealed to the board (3a) and/or the interior side portion (10) is disposed and/or attached and/or sealed to the board (3b).

12. A method according to claim 9 or 10, characterised in that the separate side portion (9, 10) is disposed and/or attached and/or sealed to the room unit (2a, 2b, 2c, 2d) or to the board (3a, 3b).

13. A method according to any one of claims 9 - 12, characterised in that the room unit (2a, 2b, 2c, 2d...) comprises one or more cabins, rooms or the like and/or the side portion (9, 10) comprises one or more windows (9a) and/or walls (9b) and/or balconies (9c).

14. A method according to any one of claims 9 - 13, characterised in that the room unit (2a, 2b, 2c, 2d...) is moved aboard in the transverse direction (A) of the water-craft or a section thereof or other structure or a section thereof (1) through the board (3a, 3b) of the water-craft or a section thereof or other structure or a section thereof without any substantial movement in the longitudinal direction (B) of the water-craft or a section thereof or other structure or a section thereof, so that said movement is preferably smaller than the width of the room unit (2a, 2b, 2c, 2d).